

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
AdB2: Adelphia-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
AdC2: Adelphia-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
AhA: Adelphia-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
AhB2: Adelphia-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
AuB2: Aura-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AuC2: Aura-----	100	Very limited Filtering capacity Slope	1.00 0.04	Very limited Slope Seepage	1.00 1.00
AuC3: Aura-----	100	Very limited Filtering capacity Slope	1.00 0.04	Very limited Slope Seepage	1.00 1.00
AuD: Aura-----	100	Very limited Filtering capacity Slope	1.00 0.96	Very limited Slope Seepage	1.00 1.00
AvE: Aura-----	50	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Croom-----	50	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
BeA: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 0.25
BeB2: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
BeC2: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BlA: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 0.25
BlB2: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
BlC2: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
BlC3: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
BlD3: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.84	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
BmB: Beltsville-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Depth to saturated zone Slope	1.00 0.25 0.08
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BmC: Beltsville-----	50	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.16	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
Urban Land-----	30	Not rated		Not rated	
Bn: Bibb-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Bo: Bibb-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Br: Bibb-----	50	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Urban Land-----	30	Not rated		Not rated	
BtB2: Butlertown-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.08
CaB2: Chillum-----	100	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.08
CaC2: Chillum-----	100	Somewhat limited Restricted permeability Slope	0.68 0.04	Very limited Slope Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CaC3: Chillum-----	100	Somewhat limited Restricted permeability Slope	0.68 0.04	Very limited Slope Seepage	1.00 0.50
CaD2: Chillum-----	100	Very limited Slope Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 0.50
CbB: Chillum-----	50	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.08
Urban Land-----	30	Not rated		Not rated	
CbC: Chillum-----	50	Somewhat limited Restricted permeability Slope	0.68 0.04	Very limited Slope Seepage	1.00 0.50
Urban Land-----	30	Not rated		Not rated	
CbE: Chillum-----	50	Very limited Slope Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 0.50
Urban Land-----	30	Not rated		Not rated	
CcC3: Christiana-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
CcD3: Christiana-----	100	Very limited Restricted permeability Slope	1.00 0.84	Very limited Slope	1.00
CcE3: Christiana-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CdA: Christiana-----	100	Very limited Restricted permeability	1.00	Not limited	
CdB2: Christiana-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
CdC2: Christiana-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
CdD2: Christiana-----	100	Very limited Restricted permeability Slope	1.00 0.84	Very limited Slope	1.00
CeA: Christiana-----	100	Very limited Restricted permeability	1.00	Not limited	
CeB2: Christiana-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
CeC2: Christiana-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
CeD2: Christiana-----	100	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope	1.00
CfB: Christiana-----	50	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.08
Urban Land-----	30	Not rated		Not rated	
CfC: Christiana-----	50	Very limited Restricted permeability Slope	1.00 0.16	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CfE: Christiana-----	50	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated	
Cg: Clay Pits-----	95	Not rated		Not rated	
Ch: Codorus-----	95	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Ck: Codorus-----	50	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Urban Land-----	30	Not rated		Not rated	
Cl: Colemantown-----	100	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding	1.00
CmA: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
CmB2: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CmC2: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
CmC3: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
CmD2: Collington-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
CmD3: Collington-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
CmE2: Collington-----	100	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
CmE3: Collington-----	100	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
CnB2: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.08



Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CnC2: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
CnD2: Collington-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
CoA: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
CoB2: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
CoC3: Collington-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
CpB: Collington-----	50	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.08
Urban Land-----	30	Not rated		Not rated	
CpC: Collington-----	50	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.16	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Cr: Comus-----	95	Somewhat limited Restricted permeability Flooding	0.50 0.40	Very limited Seepage Flooding	1.00 0.40
CsB2: Croom-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.92
CsC2: Croom-----	100	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
CsC3: Croom-----	100	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
CtB2: Croom-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.92
CtC2: Croom-----	100	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
CtC3: Croom-----	100	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CtD2: Croom-----	100	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
CuB: Croom-----	50	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
Urban Land-----	30	Not rated		Not rated	
CuC: Croom-----	50	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
CuE: Croom-----	50	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
DoA: Donlonton-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.32
DoB2: Donlonton-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.32 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ek: Elkton-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
ElB: Elkton-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.08
EmA: Elsinboro-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Seepage	1.00
EmB2: Elsinboro-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Seepage Slope	1.00 0.32
EnA: Elsinboro-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Seepage	1.00
EnB2: Elsinboro-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Seepage Slope	1.00 0.32
EnC2: Elsinboro-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Slope Seepage	1.00 1.00
EuB: Elsinboro-----	50	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.43	Very limited Seepage Slope	1.00 0.08
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Fl: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Fs: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Fu: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
GaB: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
GaC: Galestown-----	100	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
GdB: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
GdC: Galestown-----	100	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
GeB: Galestown-----	50	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	30	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
GeC: Galestown-----	50	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
Evesboro-----	30	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
GmB: Galestown-----	50	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
Urban Land-----	30	Not rated		Not rated	
GmC: Galestown-----	50	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
Urban Land-----	30	Not rated		Not rated	
GnC2: Glenelg-----	100	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
GoB: Glenelg-----	50	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
				Slope	0.32
Urban Land-----	30	Not rated		Not rated	
Gp: Gravel And Borrow Pi	95	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ha: Hatboro-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
HcC3: Howell-----	100	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.04	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.32
HcD3: Howell-----	100	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.32
HoB2: Howell-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.32 0.32
HoC2: Howell-----	100	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.04	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.32
HwB2: Howell-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.32 0.08
HwC2: Howell-----	100	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.04	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HwD2: Howell-----	100	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.32
HwE2: Howell-----	100	Very limited Depth to saturated zone Slope Restricted permeability	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.32
Hy: Hyde-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone	1.00
Ik: Iuka-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
ImA: Iuka-----	95	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 0.50 0.40
ImB: Iuka-----	95	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 0.50 0.40
In: Iuka-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50



Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
IoA: Iuka-----	95	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 0.50 0.40
IoB: Iuka-----	95	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 0.50 0.40
Iu: Iuka-----	50	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 0.50 0.40
Urban Land-----	30	Not rated		Not rated	
Ix: Iuka-----	50	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 0.50 0.40
Urban Land-----	30	Not rated		Not rated	
Jo: Johnston-----	50	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Johnston-----	50	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ju: Johnston-----	55	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Urban Land-----	45	Not rated		Not rated	
KeA: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
KeB2: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.32
KeC2: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
KpA: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
KpB2: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.32
KpC2: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.16	Very limited Depth to saturated zone Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KrC3: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
KuB: Keyport-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.68
Urban Land-----	30	Not rated		Not rated	
Ky: Klej-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage Depth to saturated zone	1.00 1.00
LeA: Leonardtown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage	1.00
LeB: Leonardtown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope	1.00 0.32
Ma: Made Land-----	100	Not rated		Not rated	
MfB2: Magnolia-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 0.94	Somewhat limited Depth to saturated zone Slope	0.39 0.32
MgB2: Magnolia-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 0.94	Somewhat limited Depth to saturated zone Slope	0.39 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MgC2: Magnolia-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 0.94	Very limited Slope Depth to saturated zone	1.00 0.39
MhB2: Manor-----	100	Not limited		Very limited Seepage Slope	1.00 0.92
MhC2: Manor-----	100	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
MhD2: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
MhF2: Manor-----	100	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
MkC: Manor-----	50	Somewhat limited Slope	0.63	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
MlA: Marr-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
MlB2: Marr-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32
MlB3: Marr-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32
MlC2: Marr-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MlC3: Marr-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Seepage Slope	1.00 1.00
MlD3: Marr-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
MlE: Marr-----	30	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
MmA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MmB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MnA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MnB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MnC2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MnC3: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MnD2: Matapeake-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MoB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MpB: Matapeake-----	50	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.08
Urban Land-----	30	Not rated		Not rated	
MpC: Matapeake-----	50	Somewhat limited Restricted permeability Slope	0.68 0.16	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
MrA: Matawan-----	95	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
MrB2: Matawan-----	95	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MrC2: Matawan-----	95	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MsA: Matawan-----	95	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
MsB: Matawan-----	95	Very limited Depth to saturated zone Restricted permeability Filtering capacity	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MtA: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MtB2: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MuA: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MuB2: Mattapex-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MvB: Mattapex-----	50	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.08
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mw: Mixed Alluvial Land-	100	Not rated		Not rated	
MxC3: Monmouth-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.18
MxD3: Monmouth-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.18
MyA: Monmouth-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Seepage	1.00 0.18
MyB2: Monmouth-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope Seepage	1.00 0.32 0.18
MyC2: Monmouth-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.18
MyD2: Monmouth-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.84	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.18
MzB2: Muirkirk-----	100	Very limited Restricted permeability	1.00	Very limited Seepage Slope	1.00 0.08



Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MzC2: Muirkirk-----	100	Very limited Restricted permeability	1.00	Very limited Slope Seepage	1.00 1.00
OcA: Ochlockonee-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.71
OcB: Ochlockonee-----	100	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Seepage Depth to saturated zone Flooding Slope	1.00 0.71 0.40 0.08
OcC: Ochlockonee-----	100	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Seepage Depth to saturated zone Flooding Slope	1.00 0.71 0.40 0.08
OhA: Ochlockonee-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.71
OhB: Ochlockonee-----	100	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Seepage Depth to saturated zone Flooding Slope	1.00 0.71 0.40 0.08
Ok: Ochlockonee, Local A	50	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Seepage Depth to saturated zone Flooding	1.00 0.71 0.40
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ol: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
Ot: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
Pr: Plummer-----	50	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 0.32
Rutlege-----	50	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
RdA: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
RdB2: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
RdC2: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
RdC3: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
RdD2: Rumford-----	100	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ReB: Rumford-----	50	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
Evesboro-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
ReC: Rumford-----	50	Very limited Filtering capacity Slope	1.00 0.04	Very limited Seepage Slope	1.00 1.00
Evesboro-----	30	Very limited Filtering capacity Slope	1.00 0.04	Very limited Seepage Slope	1.00 1.00
ReD: Rumford-----	50	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Evesboro-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
SaE: Sandy Land-----	95	Not rated		Not rated	
ScB: Sandy And Clayey Lan	100	Not rated		Not rated	
ScC: Sandy And Clayey Lan	100	Not rated		Not rated	
ScD: Sandy And Clayey Lan	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SfB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.32
SfC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
SfD2: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.50	Very limited Slope Seepage	1.00 1.00
SgB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.32
SgC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
SgC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
SgD2: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.50	Very limited Slope Seepage	1.00 1.00
SgD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.50	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SgE: Sassafras-----	95	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
ShA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
ShB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
ShC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
ShC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SkB: Sassafras-----	50	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.08
Urban Land-----	30	Not rated		Not rated	
SkC: Sassafras-----	50	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.16	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SkE: Sassafras-----	50	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
SLD: Collington-----	30	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Sassafras-----	30	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
Aura-----	20	Very limited Filtering capacity Slope	1.00 0.96	Very limited Slope Seepage	1.00 1.00
SlE: Collington-----	30	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Sassafras-----	30	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
Aura-----	20	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SmA: Shrewsbury-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
SmB: Shrewsbury-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
SnA: Shrewsbury-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
So: Shrewsbury-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Urban Land-----	30	Not rated		Not rated	
SpB: Silty And Clayey Land, Gently-----	95	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.92
SpC: Silty And Clayey Land, Slopin-----	95	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
SpE: Silty And Clayey Land, Steep-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
StB2: Sunnyside-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.08
StC2: Sunnyside-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 1.00
StD2: Sunnyside-----	100	Somewhat limited Slope Restricted permeability	0.84 0.50	Very limited Slope Seepage	1.00 1.00
StE: Sunnyside-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
SuB2: Sunnyside-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.08
SuC2: Sunnyside-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 1.00
SuD2: Sunnyside-----	100	Somewhat limited Slope Restricted permeability	0.84 0.50	Very limited Slope Seepage	1.00 1.00
SvC3: Sunnyside-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 1.00
SvD3: Sunnyside-----	100	Somewhat limited Slope Restricted permeability	0.84 0.50	Very limited Slope Seepage	1.00 1.00



Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SwB: Sunnyside-----	50	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
				Slope	0.08
Urban Land-----	30	Not rated		Not rated	
SwC: Sunnyside-----	50	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
		Slope	0.16	Slope	1.00
Urban Land-----	30	Not rated		Not rated	
Sx: Manahawkin-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Subsidence	1.00	Content of organic matter	1.00
Tm: Westbrook-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.82	Content of organic matter	1.00
WaA: Westphalia-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
WaB2: Westphalia-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
				Slope	0.32
WaB3: Westphalia-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
				Slope	0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WaC2: Westphalia-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
WaC3: Westphalia-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
WaD2: Westphalia-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
WaD3: Westphalia-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
WbB2: Westphalia-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.08
WbC2: Westphalia-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
WbD2: Westphalia-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
WeB2: Westphalia-----	50	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32
Evesboro-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
WeC2: Westphalia-----	50	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	30	Very limited Filtering capacity Slope	1.00 0.04	Very limited Seepage Slope	1.00 1.00
WeC3: Westphalia-----	50	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
Evesboro-----	30	Very limited Filtering capacity Slope	1.00 0.04	Very limited Seepage Slope	1.00 1.00
WeD3: Westphalia-----	50	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
Evesboro-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
WoA: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WoB2: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
WoC2: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
Wu: Woodstown-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.08
Urban Land-----	30	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ZZ900: Paved Areas-----	100	Not rated		Not rated	

